Quality Control

| Work Order Wednesday, Augus | | | | | | | | | | | | | Page 1 |
|---|----------------------------------|-------------------------------------|--|--------------------------|-----|--------------------------|-----------------|--------------|---------------|------------|---------------|------------------|----------------|
| Item ID: D Revision ID: | 3396-3 | | \wedge | Accept | | | | | s s | Setup | | | |
| | pacer /1/2011 S /15/2011 F | Start Qty: 2000 Req'd Qty: 20.00 | | | | Cust Item I Customer: | D: | | | | Stop | | |
| | Process Plan: QC: | • | Date: 1 - 09-01 Date: | Tooling: SPC (Y/N): | | | ıte: | | F | Run | Start Stop | | |
| Sequence ID/ Work Center ID | | peration escription | | Set Up/ Run Hours | | Tool ID | Tool# | Plan Code | Accept Qty | Rej Qty | | Reject Number | Insp. Stamp |
| Draw Nbr | Revisio | on Nbr | | | | | | | | • | | | |
| D3396 | Rev B | | | | | | <u></u> | | | | | | |
| 100 Hardinge Hardinge CNC Lathe S | | ardinge CNC LATH Memo Turn as po | E SMALL er Folio FA514 and Dwg D339 | 0.00 0.00 6⊡Deburr | orl | uloqla | , Q <i>b</i> | 96 | 8 46 | 25 | <u></u> | · | |
| 110 | Q | C2- Inspect parts off Memo | machine FAI/FAIB | 0.00 | and | uloabso |) | | 25 | 18 | g | | |
| 120 QC | Qı | C8- Inspect parts - se | econd check | 0.00 | S.A | 11/09/2 | <u>!</u> [| | 98 | | 6 | | |

| Dart | Aero | ospac | e Ltd |
|------|------|-------|-------|
| | | | |

| W/O: | | | W | ORK ORDER CHANC | GES | | | | | |
|---------|------|--------------------------------|---|-----------------|----------------------|--------|---------------------------------------|------------|-------------------------------|---|
| DATE | STEP | PRO | PROCEDURE CHANGE | | | | | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | | | |
| | | | | | | | · · · · · · · · · · · · · · · · · · · | | | |
| | | | | | | | | | | |
| Part No | : | PAR #: | Fault Cate | egory: | NCR: | Yes N | lo DQ | A : | Date: | Aller (18-18-18-18-18-18-18-18-18-18-18-18-18-1 |
| | Re | esolution: | Disposition | on: | QA: I | WC Clo | sed: | | Date: | |
| NCR: | | | WORK ORD | DER NON-CONFORM | ANCE | (NCR) | | | | |
| DATE | STEP | Description of NC Section A | Corrective Action Initial Action Descript | | Section B on Sign & | | Verification Section C | | Approval Chief Eng | Approval QC Inspector |
| | | occion A | Chief Eng | Chief Eng | | Date | Jecu | | Office Erig | QO mopeotor |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | - "" | | |
| | | | | | | | | | | |
| | | | 1 | | 1 | | ı | | I . | 1 |

Work Order ID 73349

Wednesday, August 31, 2011 11:07:52 AM



Page 2

Item ID:

D3396-3

Accept

Setup Start

Stop

Stop



Revision ID:

Start Date:

Item Name: Spacer

9/1/2011

Start Qty: 20.00

Cust Item ID:

Customer:

Required Date: 9/15/2011

Req'd Qty: 20.00

Reference:

Process Plan:

Date:

Tooling:

Date:

Date:

Run

Start

Approvals:

QC:

Date:

SPC (Y/N):

Set Up/

Run Hours

Tool # Plan

Accept

Reject

Reject

Insp. Stamp

Sequence ID/ Work Center ID

130

Packaging

Packaging

Operation Description

Identify as per dwg & Stock Location.

Memo

0.00

0.00

Tool ID

Code

Qty

Qty

Number

QC21- Final Inspection - Work Order Release



Quality Control

0.00

0.00

MF 9/21

140

Memo

| space Ltd | Dart Aeros |
|-----------|------------|
| space Ltd | Dart Aeros |

| Dail | . oopao | J Ltd | | | | | | |
|----------|---------|-------------|------------------|---------|----------|-----|-------------------------------------|--------------------------|
| W/O: | | | WORK ORDER O | HANGES | | | | |
| DATE | STEP | | PROCEDURE CHANGE | Ву | By Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | |
| | | | | | | | | |
| | ļ | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| <u> </u> | | | | | | | | |
| Part No |): | PAR #: _ | Fault Category: | NCR: Y | es No DC | A: | Date: _ | |
| | F | Resolution: | Disposition: | QA: N/C | Closed: | | Date: _ | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | | | |
|------|------|----------------------------------|----------------------|------------------------------|----------------|-----------|-----------------------|--------------|--|--|--|--|
| | | Description of NC | | Corrective Action Section B | Verification | Ammunual | Approval | | | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Approval Chief Eng | QC Inspector | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | ļ | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Picklist Print

Wednesday, August 31, 2011 11:07:49 AM

Work Order ID: 73349

D3396-3

Parent Item Name: Spacer



Start Date: 9/1/2011

Required Date: 9/15/2011

Page 1

Start Qty: 20.00

Required Qty: 20.00

Comments:

Parent Item:

IPP A□05.10.03□New issue□KJ/JLM□

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
| MDELRINR0.750 | | Purchased | No | | | 110 | f | 88.9980 | 0.0625 | 1.315789 | | | |
| | | | | | | | | | | | | | |

Delrin Round Bar 0.75"

| Location | Loc Qty | Loc Code |
|-----------------|---------|----------|
| MAT055 | 88.998 | |
| 115472 | 7.5 | |
| 116183 | 2.4 | |
| 117273 | 9.958 | |
| 117322 | 0.94 | |
| 1 18066 | 20.2 | |
| 118392 | 48 | |

3.95 on 1/09/20

| Dart Ae | rospace | Ltd | | | | | | | , , |
|---------|----------|-------------------|----------------------|------------------------------|----------------|--------------|-----------|-------------------------------|--------------------------|
| W/O: | | | WC | RK ORDER CHANGE | S | | = | | |
| DATE | STEP | PRO | PROCEDURE CHANGE | | | | | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Part No | : | PAR #: | Fault Cate | gory: | NCR: Yes | No DQ | A: | Date: | |
| | R | esolution: | Disposition | n: | QA: N/C CI | osed: | | Date: _ | |
| NCR: | | V | VORK ORDI | ER NON-CONFORMAL | NCE (NCR |) | | | |
| | 0750 | Description of NC | | Corrective Action Section | | Verific | ation | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Secti | | Chief Eng | QC Inspector |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | · | | | |
| | _ | | | | | L | | | L |

Chief Eng Chief Eng Date

| DART AEROSPACE LTD | Work Order: | 73349 |
|------------------------------|--------------|-------------|
| Description: Spacer | Part Number: | D3396-3 |
| Inspection Dwg: D3396 Rev: B | | Page 1 of 1 |

| Inspection Dwg | : D3396 Rev | ∵: B | | | | Pa | ge 1 of 1 |
|----------------------|--------------------|---------------------|---------|--------------|-------------------------|-------------|-----------|
| | FIRS | T ARTICLE II | NSPECTI | ON CHE | ECKLIST | | |
| | | First Arti | Γ | - | otype | | |
| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | | nments |
| 0.226 | +/-0.010 | . 229 | | | Vern n | 1-06 | |
| Ø0.31 6 | +0.005/-0.000 | p.316 | | | 11 | , | |
| Ø0.740 | +/-0.010 | Ø.740 | | | 11 | | |
| 0.032 x 45° | +/-0.010 | . D25×45 | / | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | - | | |
| | <u> </u> | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| leasured by: | and | Audited by: | B.A | | Prototype | e Approval: | N/A |
| Date: | 1/04/20 | Date: | 11/09/2 | } | | Date: | N/A |
| Rev Date | Change | | | | | Revised þy | Approve |
| A 06.03.09 | New Issue | | | | | KJ/JLM | Cill |

| Rev | Date | Change | Revised by | Approv <i>e</i> d |
|-----|----------|-----------|------------|-------------------|
| Α | 06.03.09 | New Issue | KJ/JLM A | GH |
| | | | | 7/0/ |


| W/O: | | WORK ORDER CHANGES | | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|--|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | |
| | | | | | | | | | |
| | | | | * | | | | | |


| Part No: _ | | PAR #: | Fault Category: | NCR: Yes No DQA: | Date: |
|------------|-------------|--------|-----------------|------------------|-------|
| | Resolution: | | Disposition: | QA: N/C Closed: | Date: |

| NCR: | | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | |
|------|----------|-------------------|----------------------------------|------------------------------|----------------|--------------|-----------------------|-------------|--|--|
| | <u> </u> | Description of NC | Corrective Action Section B | | | Verification | Approval | Approval | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Approval Chief Eng | QC Inspecto | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| • | | | | | | | | | | |
| | | | | | | | | | | |



| DESIG | CP | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
|----------|---------|--------------|---|
| CHECH | KED dis | APPROVED 4/1 | DRAWING NO. REV. B |
| | ## | # | D3396 SHEET 1 OF 1 |
| DATE | | | TITLE SCALE |
| 05.0 | 94.27 | | SPACER 2:1 |
| Α | | 05.03.10 | NEW ISSUE |
| В | | 05.04.27 | ADD -3 |





D3396-1/-3 SPACER

- 1) MATERIAL: DELRIN (DART SPEC. M-DELRIN-R)
- 2) FINISH: NONE
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| Dart Aerospace Ltd |
|---------------------------|
|---------------------------|

| W/O: | | | WORK ORDER CHANGES | | | | | | | | |
|---|------|--------------------------------|---|-----------------|------------------|---------------------------|------------|-------------------------------|--------------------------|--|--|
| DATE | STEP | PRO | OCEDURE CHAI | NGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | - | | | | | | | | | | |
| Part No: | | PAR #: | Fault Category: NCR: Yes No D | | | No DQ | DQA: Date: | | | | |
| | R | esolution: | Dispositio | າ: | QA: N/C Closed: | | | Date: | | | |
| NCR: | | | WORK ORDI | ER NON-CONFORMA | NCE (NCF | R) | | | | | |
| DATE | STEP | Description of NC Section A | Corrective Action Se Initial Action Description Chief Eng Chief Eng | | on B Sign 8 Date | Verification Section C | | Approval Chief Eng | Approval QC Inspector | | |
| | | | | <u> </u> | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |